

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	7	"965932"	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 18:32
S2	182	session adj (id identifier) and (radius)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 18:33
S3	1	session adj (id identifier) and "off load server"	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 18:33
S4	219	session adj (id identifier) and (radius aaa tacacs)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 18:34
S5	56	session adj (id identifier) same (radius aaa tacacs)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 18:34
S6	31	session adj (id identifier) same (radius aaa tacacs) and (tunnel\$3 l2tp)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 18:36
S7	8	session adj (id identifier) same (radius aaa tacacs) and (tunnel\$3 l2tp) and (start stop) adj record	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 18:37
S8	8	session adj (id identifier) same (radius aaa tacacs) and (tunnel\$3 l2tp L2F PPTP IPsec) and (start stop) adj record	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 18:42
S9	10	session adj (id identifier) and (tunnel\$3 l2tp L2F PPTP IPsec) and (start stop) adj record	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 18:43

S10	2	S9 not S8	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 18:42
S11	24	(tunnel\$3 l2tp L2F PPTP IPSec) and (start stop) adj record	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 19:12
S12	14	S11 not S9	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 18:43
S13	3	(US-20020046277-\$).did. or (US-6405251-\$ or US-6151628-\$).did.	US-PGPUB ; USPAT	OR	ON	2004/11/15 18:56
S14	0	S13 and (load adj balanc\$3 off adj load\$3)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 18:56
S15	1	S13 and (load)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 18:56
S16	21	"acct session id"	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 19:12
S17	9324	(tunnel\$3 l2tp L2F PPTP IPSec) and radius	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 19:12
S18	1569	((tunnel\$3 l2tp L2F PPTP IPSec) and radius).bsum.	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 19:12
S19	23	((tunnel\$3 l2tp L2F PPTP IPSec) and radius).bsum. and "709"/\$.ccls.	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 19:16

S20	20	((tunnel\$3 12tp L2F PPTP IPSec) and aaa).bsum. and "709"/\$.ccls.	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 19:16
S21	9	(US-20020046277-\$ or US-20020069278-\$ or US-20020133534-\$).did. or (US-6405251-\$ or US-6151628-\$ or US-6614809-\$ or US-6070192-\$ or US-6430619-\$ or US-6560217-\$).did.	US-PGPUB ; USPAT	OR	ON	2004/11/15 19:19
S22	3	S21 and session adj (id identifier)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 19:22

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	26541	radius and start and stop	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/19 12:24
S2	87	radius and start and stop and session adj (id identifier)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/19 12:27
S3	40	radius and start and stop and session adj (id identifier) and (tunnel\$4 l2tp pptp)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/19 12:29
S4	7	radius and start adj record and stop adj record and session adj (id identifier) and (tunnel\$4 l2tp pptp)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/19 12:31
S5	7	start adj record and stop adj record and session adj (id identifier) and (tunnel\$4 l2tp pptp)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/19 13:19
S6	7	radius and start adj record and stop adj record and session and (tunnel\$4 l2tp pptp)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/19 12:31
S7	7	start adj record and stop adj record and session and (tunnel\$4 l2tp pptp)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/19 12:31
S8	5	(US-20020091636-\$).did. or (US-6405251-\$ or US-6446200-\$ or US-6625657-\$ or US-6751663-\$).did.	US-PGPUB ; USPAT	OR	ON	2004/11/19 12:31
S9	5	S8 and load	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/19 12:32

S10	0	S8 and load same server	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/19 12:32
S11	5	S8 and server	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/19 12:32
S12	5	S8 and list	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/19 12:32
S13	5	S8 and list same session	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/19 12:33
S14	5	S8 and session adj (id identifier)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/19 13:02
S15	20	neurauter-g\$.xa.	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/19 13:03
S16	24	neurauter-\$.xa.	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/19 13:15
S17	5	S8 and radius same collector	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/19 13:16
S18	1	(US-6405251-\$).did.	USPAT	OR	ON	2004/11/19 13:16
S19	1	S18 and radius same collector	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/19 13:16

S20	1	S18 and radius adj server	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/19 13:19
S21	0	start adj record and stop adj record and "network access server" and (tunnel\$4 l2tp pptp)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/19 13:24
S22	21	acct-session-id	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/19 13:25